Health Update:

Update: Avian Influenza A (H7N9)

June 7, 2013

This document will be updated as new information becomes available. The current version can always be viewed at <u>http://www.health.mo.gov</u>

The Missouri Department of Health & Senior Services (DHSS) is now using 4 types of documents to provide important information to medical and public health professionals, and to other interested persons:

Health Alerts convey information of the highest level of importance which warrants immediate action or attention from Missouri health providers, emergency responders, public health agencies, and/or the public.

Health Advisories provide important information for a specific incident or situation, including that impacting neighboring states; may not require immediate action.

Health Guidances contain comprehensive information pertaining to a particular disease or condition, and include recommendations, guidelines, etc. endorsed by DHSS.

Health Updates provide new or updated information on an incident or situation; can also provide information to update a previously sent Health Alert, Health Advisory, or Health Guidance; unlikely to require immediate action.

Office of the Director 912 Wildwood P.O. Box 570 Jefferson City, MO 65102 Telephone: (800) 392-0272 Fax: (573) 751-6041 Web site: http://www.health.mo.gov

Missouri Department of Health & Senior Services

Health Update June 7, 2013

FROM: GAIL VASTERLING ACTING DIRECTOR

SUBJECT: Update: Avian Influenza A (H7N9)

On May 10, 2013, the Missouri Department of Health and Senior Services (DHSS) issued a Health Advisory entitled "Avian Influenza A (H7N9)." It provided information on the epidemiology of avian influenza A (H7N9), as well as recommendations for testing, treatment, and infection control. On June 7, 2013, the Centers for Disease Control and Prevention (CDC) updated the current situation regarding H7N9, and provided updated recommendations on who should be tested for the virus in the United States. This Health Update contains the new information and recommendations from CDC. If a patient meets the criteria described below, DHSS should immediately be contacted regarding specimen collection and facilitation of confirmatory testing.

CDC HEALTH UPDATE

Distributed via the CDC Health Alert Network June 7, 2013, CDCHAN-00347

Human Infections with Avian Influenza A (H7N9) Viruses

This health advisory provides an **update** on the avian influenza A (H7N9) virus [H7N9] situation and includes new recommendations on who should be tested for H7N9 in the United States. This document replaces guidance published on April 5, 2013, in CDC Health Advisory 344 "Human Infections with Novel Influenza A (H7N9) Viruses," found at http://emergency.cdc.gov/HAN/han00344.asp. The updated guidance reflects the most current epidemiology of H7N9 cases, which indicates that almost all H7N9 human infections have resulted in severe respiratory illness; H7N9 has been found rarely among those with milder disease. For that reason, CDC is changing its recommendations for H7N9 testing: The primary changes from previous guidance are (i) a new recommendation to test only patients with an appropriate exposure history and severe respiratory illness requiring hospitalization and (ii) a request that only confirmed and probable cases of human infection with H7N9 be reported to CDC. In the previous guidance issued on April 5, CDC recommended that all persons with relevant exposure history and illness compatible with influenza, regardless of severity be tested. CDC will continue to update these recommendations as more information becomes available. The current guidance is consistent with interim surveillance recommendations by the World Health Organization for H7N9 found at http://www.who.int/influenza/human animal interface/influenza h7n9/InterimSurveilla nceRecH7N9 10M ay13.pdf

Summary and Background

As of June 3, 2013, Chinese public health officials have reported >130 cases of human infection with H7N9 from 10 provinces and municipalities in mainland China and Taiwan [1, 2]. Most patients were hospitalized with severe respiratory illness and reported poultry contact prior to illness onset [2, 3]. Preliminary results from influenza-like illness surveillance suggest that H7N9 has not caused widespread mild illness in China [4].

Although several clusters of human infection with H7N9 have been identified in China, **sustained personto-person transmission of the virus has not been demonstrated. At this time, no cases of human infection with H7N9 have been detected in the United States**, despite testing of >60 persons with respiratory illness who reported recent travel to China.

Clinicians should consider the possibility of H7N9 infection in persons presenting with respiratory illness requiring hospitalization and an appropriate travel or exposure history. Influenza diagnostic testing in patients with severe respiratory illness for whom an etiology has not been confirmed may identify human cases of H7N9.

Confirmed and **probable** cases of human infection with H7N9 in the United States should be reported to CDC within 24 hours of initial detection. See http://www.cdc.gov/flu/avianflu/h7n9/case-definitions.htm. However, state health departments are encouraged to investigate all potential cases of H7N9 infection as described below in order to determine case status.

Interim Recommendations for Clinicians and State and Local Health Departments

CDC recommends the following testing practices based on the current epidemiology of H7N9 cases.

Case Investigation and Testing

• Patients who meet both the clinical and exposure criteria described below should be considered for H7N9 testing by reverse-transcription polymerase chain reaction (RT-PCR) methods. Decisions on diagnostic testing for influenza using RT-PCR should be made using available clinical and epidemiologic information, and additional persons in whom clinicians suspect H7N9 infection should also be tested.

Clinical Illness Criteria

i. Patients with new-onset severe acute respiratory infection **requiring hospitalization** (i.e., illness of suspected infectious etiology that is severe enough to require inpatient medical care in the judgment of the treating clinician).

AND

ii. Patients for whom no alternative infectious etiology is identified.

Exposure Criteria

i. Patients with recent travel (within 10 days of illness onset) to areas where human cases of H7N9 have become infected or to areas where avian influenza A (H7N9) viruses are known to be circulating in animals¹.

OR

- i. Patients with recent travel (within 10 days of illness onset) to areas where human cases of H7N9 have become infected or to areas where avian influenza A (H7N9) viruses are known to be circulating in animals¹.
- ii. Patients who have had recent close contact (within 10 days of illness onset) with confirmed cases of human infection with H7N9. Close contact may be regarded as coming within about 6 feet (2 meters) of a confirmed case while the case was ill (beginning 1 day prior to illness onset and continuing until resolution of illness). Close contact includes healthcare personnel providing care for a confirmed case, family members of a confirmed case, persons who lived with or stayed overnight with a confirmed case, and others who have had similar close physical contact.

- If infection with H7N9 is suspected based on current clinical and epidemiological screening criteria recommended by public health authorities, respiratory specimens should be collected with appropriate infection control precautions for novel virulent influenza viruses and sent to the state or local health department for testing. Clinicians should obtain a respiratory specimen from these patients, place the swab or aspirate in viral transport medium, and contact their state or local health department to arrange transport and request a timely diagnosis at a state public health laboratory or CDC. Viral culture should not be attempted in these cases. For additional guidance on diagnostic testing of patients under investigation for H7N9 infection, please see http://www.cdc.gov/flu/avianflu/h7n9/specimen-collection.htm.
- DHSS strictly enforces these testing eligibility criteria in order to preserve limited available testing resources and to support only those appropriate investigations that facilitate successful public health interventions and surveillance.
- Medical providers caring for a patient who meets these criteria should immediately contact DHSS at 800/392-0272 (24/7) to discuss sending specimens for testing at the Missouri State Public Health Laboratory (MSPHL). Note that before any specimen is sent to MSPHL, DHSS staff must first be consulted. After consultation and determination that the patient meets the criteria for testing, contact MSPHL at 573/751-3334 or 800/392-0272 for guidance on specimen collection and shipping prior to collecting the specimens. This will help ensure that proper specimens are obtained in the right quantity, and that they are packed and transported properly.
- Commercially available rapid influenza diagnostic tests (RIDTs) may not detect H7N9 viruses in respiratory specimens. Therefore, a negative rapid influenza diagnostic test result does not exclude infection with H7N9. In addition, a positive test result for influenza A cannot confirm avian influenza virus infection because these tests cannot distinguish between influenza A virus subtypes (they do not differentiate between human influenza A viruses and novel3 influenza viruses). Therefore, when RIDTs are positive for influenza A and there is concern for novel influenza A virus infection, respiratory specimens should be collected and sent for RT-PCR testing at a state public health laboratory [according to the protocol in the previous bullet point]. Clinical treatment decisions should not be made on the basis of a negative rapid influenza diagnostic test result since the test has only moderate sensitivity (http://www.cdc.gov/flu/professionals/diagnosis/clinician_guidance_ridt.htm).

Infection Control

Clinicians should be aware of appropriate infection control guidelines for patients under investigation for infection with novel influenza A viruses. For guidance on infection control precautions for H7N9 see http://www.cdc.gov/flu/avianflu/h7n9-infection-control.htm. These infection control measures should be instituted immediately whenever a case is first suspected. Note that this guidance recommends a higher level of infection control measures than for seasonal influenza.

Treatment

For guidance on treatment of patients under investigation for H7N9 with antiviral medications, or for guidance on antiviral chemoprophylaxis of exposed contacts, see <u>http://www.cdc.gov/flu/avianflu/h7n9- antiviral-treatment.htm</u>.

For More Information

• CDC avian influenza A (H7N9) virus information is available at: <u>http://www.cdc.gov/flu/avianflu/h7n9-virus.htm.</u>

- WHO Situation Updates on avian influenza are available at: <u>http://www.who.int/influenza/human_animal_interface/avian_influenza/archive/en/index.html</u>.
- WHO "Frequently Asked Questions on human infection with A (H7N9) virus, China" is available at: <u>http://www.who.int/influenza/human_animal_interface/faq_H7N9/en/index.html</u>.
- The Chinese Center for Disease Control and Prevention (China CDC) "Questions and Answers about human infection with A (H7N9) avian influenza virus" is available at: http://www.chinacdc.cn/en/research 5311/FAQ/201304/t20130418_80053.html.
- CDC general information about avian influenza viruses and how they spread is available at: http://www.cdc.gov/flu/avianflu/avian-in-humans.htm.

End Notes:

- 1. As of June 3, 2013, China was the only country where H7N9 viruses were known to be circulating in animals or where human cases have become infected. Patients with direct or close contact with wild birds or poultry, or animal settings, such as live poultry markets while traveling in these areas should be strongly considered for H7N9 testing. For more information on countries affected, please see the CDC avian influenza A (H7N9) information page at http://www.cdc.gov/flu/avianflu/h7n9-virus.htm.
- 2. Contact investigation protocols for confirmed cases may supersede the recommendations described here; testing of close contacts with *any level* of respiratory illness may be pursued, if in the judgment of the investigators, this is warranted.
- 3. Influenza viruses that do not typically infect humans are called "novel" influenza viruses; this includes influenza viruses that typically infect birds and swine.

References:

- Centers for Disease Control and Prevention. Emergence of Avian Influenza A(H7N9) Virus Causing Severe Human Illness - China, February-April 2013. MMWR 2013; 62(18): 366-71. <u>http://www.cdc.gov/mmwr/preview/mmwrhtml/mm6218a6.htm?s_cid=mm6218a6_w</u>
- 2. Li Q, Zhou L, Zhou M, et al. Preliminary Report: Epidemiology of the Avian Influenza A (H7N9) Outbreak in China. N Engl J Med. 2013 Apr 24. [Epub ahead of print]. <u>http://www.ncbi.nlm.nih.gov/pubmed/?term=Epidemiology+of+the+Avian+Influenza+A+(H7N9)+O utbreak+in+China</u>
- Lee SS, Wong NS, Leung CC. Exposure to avian influenza H7N9 in farms and wet markets. Lancet May 25;381(9880):1815. doi: 10.1016/S0140-6736(13)60949-6. Epub 2013 May 10. <u>http://www.thelancet.com/journals/lancet/article/PIIS0140-6736(13)60949-6/fulltext?rss=yes</u>
- Xu C, Havers F, Wang L, Chen T, Shi J, Wang D. Monitoring avian influenza A(H7N9) virus through national influenza-like illness surveillance, China. Emerging Infectious Diseases [Internet], 2013 Jul [*June 3, 2013*] <u>http://dx.doi.org/10.3201/eid1908.130662</u>.

For links to additional information, see DHSS' Avian Influenza website at: <u>http://health.mo.gov/emergencies/panflu/avian.php</u>.

Questions should be directed to DHSS' Bureau of Communicable Disease Control and Prevention at 573/751-6113, or 800/392-0272 (24/7).