

Missouri Weekly Influenza Surveillance Report 2015-2016 Influenza Season¹

Week 10: March 6 – March 12, 2016

All data are preliminary and may change as more reports are received.

Summary:

- The estimated influenza activity in Missouri increased to Widespread².
- A season-to-date total of 9,217 laboratory-positive³ influenza cases have been reported in Missouri. The influenza type for reported cases season-to-date includes 76% influenza A, 21% influenza B, and 3% untyped. Influenza A accounted for 79% of reported cases during Week 10 and remains the predominant virus type reported this season. The highest season-to-date rates of reported laboratory-positive influenza cases are among children aged 0-4 years (486 cases per 100,000 population) and children aged 5-14 years (237 cases per 100,000 population). Three laboratory-confirmed influenza cases (two influenza A (H1N1), one influenza B) were reported by the Missouri State Public Health Laboratory (MSPHL) during Week 10.
- The Centers for Disease Control and Prevention (CDC) has antigenically characterized four influenza isolates from Missouri, to date, this influenza season. Two viruses were antigenically similar to the A/Switzerland/9715293/2013-like (H3N2) virus and two viruses were antigenically similar to the A/California/7/2009-like (H1N1)pdm09 virus. Both an A/Switzerland/9715293/2013-like virus and an A/California/7/2009-like virus are included in the 2015-2016 Northern Hemisphere vaccine formulation.
- Influenza-like illness activity was above baseline for both the Missouri Outpatient ILI Surveillance Network (ILINet) and for the hospital emergency room visit chief complaint data reported through ESSENCE during Week 10. The reported percentage of visits for ILI was 3.40% and 2.08% through ILINet and ESSENCE respectively⁴.
- No influenza-associated pediatric deaths have been reported in Missouri, to date, this influenza season. During Week 9, 79 deaths were reported involving Pneumonia and Influenza (P&I) reported to the Bureau of Vital Records, resulting in a season-to-date total of 1,480 P&I associated deaths in Missouri⁵.
- Two influenza or ILI-associated outbreaks have been reported in Missouri, to date, this influenza season. No influenza or ILI-associated school closures have been reported in Missouri, to date, this influenza season.
- Influenza activity remained elevated in the U.S. during Week 9. National influenza surveillance information is prepared by the CDC and is included in the weekly FLUVIEW report, which is available online at http://www.cdc.gov/flu/weekly/fluactivitysurv.htm.

²Widespread is defined as: Outbreaks of influenza or increases in ILI cases and recent laboratory-confirmed influenza in at least half the regions of the state with recent laboratory evidence of influenza in the state.

³Laboratory-positive Influenza includes the following test methods: rapid influenza diagnostic tests (antigen), reverse transcriptase polymerase chain reaction (RT-PCR) and other molecular assays, immunofluorescence antibody staining (Direct (DFA) or Indirect (IFA)), or viral culture.

⁴Influenza-like Illness (ILI) is defined by ILINet as fever (temperature of 100°F [37.8°C] or greater) and a cough and/or a sore throat without a known cause other than influenza. Influenza-like Illness (ILI) is defined by ESSENCE as Emergency Department chief complaints that contain keywords such as "flu", "flulike", "influenza" or "fever" plus "cough" or "fever" plus "sore throat".

⁵The P&I data are available one week later. The P&I data for the CDC Week provided is the most current data available.

¹The 2015-2016 influenza season in Missouri began CDC Week 40 (week ending October 10, 2015) through CDC Week 20 (week ending May 21, 2016).

Surveillance Data:

Interactive Maps

The county specific influenza data are provided though interactive maps available at http://on.mo.gov/1nLkIDj. Click on the county to view the influenza data specific to that county.

- Reported Laboratory -positive Influenza Cases by Influenza Type by County, CDC Week 10
- Reported Laboratory -positive Influenza Cases by Influenza Type by County, Season-to-Date
- Percentage of Laboratory-positive Influenza Cases Reported to be Influenza Type A

Data Tables and Graphs

Table 1. Number of Laboratory-positive[†] Influenza Cases by Influenza Type,Missouri, CDC Week 10 (March 6 – March 12, 2016)

Influenza Type	Week 8	Week 9	Week 10	2015-2016* Season-to-Date
Influenza A	1,205	1,551	1,637	6,992
Influenza B	269	377	379	1,973
Influenza Unknown Or Untyped	39	41	51	252
Total	1,513	1,969	2,067	9,217

[†]Laboratory-positive Influenza includes the following test methods: rapid influenza diagnostic tests (antigen), reverse transcriptase polymerase chain reaction (RT-PCR) and other molecular assays, immunofluorescence antibody staining (Direct (DFA) or Indirect (IFA)), or viral culture. *Influenza Season begins Week Ending October 10, 2015 (CDC Week 40) Data Source: Missouri Health Information Surveillance System (WebSurv).

Age Group	Week 10 Cases	Week 10 Rate [‡]	2015-2016* Season-to-Date	2015-2016* Season-to-Date Rate [‡]
00-04	424	113	1,832	486
05-14	490	62	1,860	237
15-64	1,005	25	4,784	120
65+	148	16	741	82
Total	2,067	34	9,217	152

Table 2. Number of Laboratory-positive[†] Influenza Cases and Case Rates by Age Group,Missouri, CDC Week 10 (March 6 – March 12, 2016)

Laboratory-positive Influenza includes the following test methods: rapid influenza diagnostic tests (antigen), reverse transcriptase polymerase chain reaction (RT-PCR) and other molecular assays, immunofluorescence antibody staining (Direct (DFA) or Indirect (IFA)), or viral culture.

*Influenza Season begins Week Ending October 10, 2015 (CDC Week 40) Data Source: Missouri Health Information Surveillance System (WebSurv) # Incidence Rate per 100,000 population


Page 2 of 7

Table 3. Number of Laboratory-positive[†] Influenza Cases and Case Rates by Region,Missouri, CDC Week 10 (March 6 – March 12, 2016)

District	Week 10 Cases	Week 10 Rate [‡]	2015-2016* Season-to-Date	2015-2016* Season-to-Date Rate [‡]
СЕ	153	23	1,025	155
EA	708	31	3,321	148
NW	861	54	3,173	200
SE	111	23	559	117
SW	234	22	1,139	106
Total	2,067	34	9,217	152

[†] Laboratory-positive Influenza includes the following test methods: rapid influenza diagnostic tests (antigen), reverse transcriptase polymerase chain reaction (RT-PCR) and other molecular assays, immunofluorescence antibody staining (Direct (DFA) or Indirect (IFA)), or viral culture.
*Influenza Season begins Week Ending October 10, 2015 (CDC Week 40) Data Source: Missouri Health Information Surveillance System (WebSurv)


[‡]Incidence Rate per 100,000 population



Graph 1. Number of Laboratory-positive[†] Influenza Cases by CDC Week, Missouri, 2012-2016*


[†] Laboratory-positive Influenza includes the following test methods: rapid influenza diagnostic tests (antigen), reverse transcriptase polymerase chain reaction (RT-PCR) and other molecular assays, immunofluorescence antibody staining (Direct (DFA) or Indirect (IFA)), or viral culture.
*2015-2016 Season-to-Date through the week ending May 21, 2016 (Week 20). 2014-2015 Season had 53 weeks rather than the usual 52. Data Source: Missouri

Health Information Surveillance System (WebSurv).



Graph 2. Percentage of Visits for Influenza-like-Illness (ILI), Missouri Outpatient ILI Surveillance Network (ILINet) 2012-2016*

*2015-2016 Season-to-Date through the week ending May 21, 2016 (Week 20). 2014-2015 Season had 53 weeks rather than the usual 52.




Graph 3. St. Louis Children's Hospital Season-to-Date PCR (+) and Rapid Influenza Tests

*Data Source: St. Louis Children's Hospitals

*This data is based on testing in all age groups in St Louis Metro and SE Missouri

*Influenza Season begins Week Ending October 10, 2015 (CDC Week 40)

Graph 4. Weekly Percentage of Influenza-like Illness (ILI) in ESSENCE Participating Hospitals, for 2012-2016 Influenza Seasons




Data Source: Missouri Department of Health and Senior Services (DHSS), Bureau of Reportable Disease Informatics, ESSENCE. Includes data from 120 reporting facilities in Missouri ESSENCE (<u>http://health.mo.gov/data/essence/pdf/missourimap.pdf</u>). * The ESSENCE ILI Baseline is the mean percent of ILI visits for each week during the previous three years (2012-14) when percentage of ILI visits were less than 2% of total visits, plus two standard deviations.


[†]ILI % for week 53 was estimated for previous seasons by averaging values for weeks 52 and 1 in order to compare to the ILI % for week 53 of the 2014-15 influenza season.

District	Age 0-4 (%)	Age 5-17 (%)	Age 18-44 (%)	Age 45-64 (%)	Age 65+ (%)	Total Percentage
Northwest	3.46	3.26	1.66	1.78	0.77	1.96
Central	7.19	4.59	1.92	1.90	0.52	2.49
Eastern	3.38	1.8	1.83	1.71	0.50	1.71
Southeast	10.85	8.13	1.85	1.82	1.38	3.43
Southwest	7.75	5.29	1.49	1.30	0.65	2.41
Statewide	4.93	3.46	1.74	1.69	0.66	2.08


Table 4. Percentage of Influenza-like Illness (ILI) Visits per Total Visits to Hospital Emergency Rooms fromESSENCE by District and Statewide for Week Ending March 12, 2016

Data Source: Missouri Department of Health and Senior Services (DHSS), Bureau of Reportable Disease Informatics, ESSENCE. Includes data from 120 reporting facilities in Missouri ESSENCE (<u>http://health.mo.gov/data/essence/pdf/missourimap.pdf</u>).





Data Source: Missouri Department of Health and Senior Services (DHSS), Bureau of Reportable Disease Informatics, ESSENCE. Includes data from 120 reporting facilities in Missouri ESSENCE (<u>http://health.mo.gov/data/essence/pdf/missourimap.pdf</u>).



Graph 6. Patients Hospitalized with Influenza and/or Pneumonia Syndromes from Participating Missouri



CDC Week

6 7 8 9 10 11 12 13 14 15 16 17 18 19 20

Additional Influenza Data Sources:

40 41 42 43 44 45 46 47 48 49 50 51 52 1 2 3

300

200

100

0

St Louis Children's Hospital Laboratory: http://slchlabtestguide.bjc.org/Default.aspx?url=9c76310f-bdee-4057a987-b13c6b2d1c89

4 5

Centers for Disease Control and Prevention: National Influenza Surveillance (FLUVIEW) http://www.cdc.gov/flu/weekly/fluactivitysurv.htm

World Health Organization: International Influenza Surveillance: http://www.who.int/influenza/surveillance monitoring/en/

5-14 Yrs

Yrs Rate 65+Yrs

Rate 15-64

Rate

15

10

5

0