MISSOURI MONTHLY TUBERCULOSIS DISEASE REPORT

Reported Number of Tuberculosis Disease Cases for MMWR Weeks 1-30 2015 versus 2016

| Geographic Area | Number of Counted Cases: 2015 | Number of Counted Cases: 2016 | Difference in Number of Counted Cases: 2015 to 2016 | Percent of 2016 Cases that were Preventable |
|---|-------------------------------------|-------------------------------------|--|---|
| | | | | |
| St. Louis City | 7 | 6 | -1 | 0% |
| St. Louis County | 9 | 14 | 5 | 43% |
| Kansas City | 7 | 6 | -1 | 33% |
| Springfield/Greene | 1 | 1 | 0 | 0% |
| Region(excluding metropolitan areas) | | | | |
| Northwestern | 18 | 10 | -8 | 20% |
| Central | 7 | 8 | 1 | 25% |
| Southeastern | 1 | 5 | 4 | 0% |
| Southwestern | 5 | 3 | -2 | 33% |
| Eastern | 3 | 3 | 0 | 67% |
| Institutionalized Patients* | 0 | 4 | 4 | 25% |
| TOTAL** | 58 | 60 | 2 | 27% |

*Institutionalized patients are those individuals who are incarcerated in federal or state prisons.

Provisional Data from the Websurv System Subject to Change

** The total percent of preventable cases is derived by dividing the total number (not percentage) of preventable cases by the total number of 2016 counted cases.

Bureau of Communicable Disease Control and Prevention Section for Disease Prevention Division of Community and Public Health Missouri Department of Health and Senior Services